

# ***Adhesives, Mesh Product Catalog***



***Westpac Materials***

341 West Meats Avenue  
Orange, CA 92865

Phone: (714) 974-6837

Toll-Free Phone: (866) 974-6837

Fax: (714) 637-9033

Toll-Free Fax: (866) 637-9033

***[www.westpacmaterials.com](http://www.westpacmaterials.com)***



# Westpac Materials

## OSI® Pro-Series®

Adhesives, Mesh

### Adhesives and Sealants

#### F-38 Green Series Drywall Construction Adhesive

Professional grade, latex based construction adhesive designed for drywall and other panel applications. This ultra-low VOC product offers fast strength development and high shear strength.



Prod#	Size	Tubes/Ctn	Units/Pallet	Unit	Wt/Unit
54032	28 oz. Tube	12	60	CTN	34


#### Specifications:

- Tested per ASTM E 72 — Racking Load Evaluation of Sheathing Materials on a Standard Wood Frame
- GreenGuard® certified and Qualifies for LEED® points
- Meets and conforms to the performance characteristics of ASTM C 557
- Complies to the following VOC regulations: SCAQMD Rule 1168 VOC, CARB, BAAQMD



#### SC-175 Green Series Sound Sealant

A non-flammable, latex-based sealant specially designed to reduce sound transmissions and drafts in all types of wall systems where a sound-rated assembly is required. The paintable sealant remains flexible and adheres firmly to wood, metal studs, concrete, and most other building materials.



Prod#	Size	Tubes/Ctn	Units/Pallet	Unit	Wt/Unit
54020	28 oz. Tube	12	60	CTN	40

#### Specifications:

- Tested to or conforms to: ASTM E 84: Surface Burning Characteristics of Building Materials, ASTM E 90-85: Laboratory Measurement of Airborne-Sound Transmission Loss of Building Materials, ASTM D 217: Testing Standard for Consistency, ASTM C 919: Standard Practice for Use of Sealants in Acoustical Applications
- GreenGuard® certified and Qualifies for LEED® points
- Complies to the following VOC regulations: SCAQMD Rule 1168 VOC, CARB, BAAQMD

#### SW-325 Shear & Drywall Adhesive

Pro-Series® SW-325 is a high performance latex-based construction adhesive designed for drywall applications and fabricating shear wall rated assemblies. This adhesive is non-flammable, environmentally safe and VOC compliant for all interior and in-plant construction use.



Prod#	Size	Tubes/Ctn	Ctns/Pallet	Unit	Wt/Unit
54025	28 oz. Tube	12	60	CTN	34

#### Specifications:

- Tested per ASTM E72, Section 14. Racking Load Evaluation of Sheathing Materials on a Standard Wood Frame.
- Conforms to the performance characteristics of ASTM C557.
- Meets California's low VOC requirements for adhesives.
- SCAQMD Rule 1168 VOC; CARB; and BAAQMD complaint

#### QB-300 Multi-Purpose Panel and Foam Adhesive

Multi-purpose waterproof adhesive for installing plastic and polystyrene foams, wood panels, drywall and much more. Fast grab, sets up quickly.



Prod#	Size	Tubes/Ctn	Ctns/Pallet	Unit	Wt/Unit
54012	28 oz. Tube	12	60	CTN	32

#### Specifications:

- Tested in accordance with ASTM E84
- Meets ASTM C-557-73

#### SALES/ORDER INFORMATION

P: (714) 974-6837 • P: (866) 974-6837 • F: (714) 637-9033 • F: (866) 637-9033  
341 West Meats Avenue • Orange, California 92865 • www.westpacmaterials.com



# Westpac Materials

## OSI® Pro-Series®

### Adhesives and Sealants

#### Loctite #200 Spray Adhesive High Performance

A premium quality formulation that dries clear and has a superior bonding strength. It dries quickly and is ideal for a wide range of household and automotive repair projects. It will work on a variety of porous and non-porous substrates.



Prod#	Size	Cans/Ctn	Unit	Wt/Unit
54100	13.5 oz.	6	CTN	7



#### Loctite #300 Spray Adhesive Professional Performance

A premium quality formulation that creates high strength and high temperature-resistant permanent bonds. It dries clear and is non-yellowing. It was developed for light and demanding applications. Ideal where support is not possible. Can be used indoors and outdoors.



Prod#	Size	Cans/Ctn	Unit	Wt/Unit
54105	13.5 oz.	6	CTN	7



#### FRP-555 Latex FRP Panel Adhesive

A high quality, solvent free adhesive for installing fiberglass reinforced panels on common surfaces. Bonds to drywall, wood, concrete, metals, plastic, plastic foams, etc. Long open time with strong yet flexible bond. Nonflammable. Water-resistant.



Prod#	Size	Units/Pallet	Unit	Wt/Unit
54082	3.5 Gallon	24	PL	42
54085	5 Gallon	24	PL	63

- Specifications:**
- Meets SCAQMD Rule 1168 VOC
  - CARB and BAAQMD compliant

#### SALES/ORDER INFORMATION

P: (714) 974-6837 • P: (866) 974-6837 • F: (714) 637-9033 • F: (866) 637-9033  
341 West Meats Avenue • Orange, California 92865 • [www.westpacmaterials.com](http://www.westpacmaterials.com)




# Westpac Materials

# 3M

## Spray Adhesive

### Super 77 Spray Adhesive

- 220 sq. feet of coverage TWICE as much as the competition
- Used on corner bead where mechanical fasteners are impractical
- Fast, aggressive tack
- Meets California VOC requirements
- Bonds many foils, plastics, papers, foams, metals and cardboard



Prod#	Size	Cans/Ctn	Unit	Wt/Ctn
65010	16.5 oz	12	CTN	17.1

### High Strength Spray Adhesive 90

- Fast drying contact adhesive
- Bonds high-pressure laminates, woods, particle boards, metals and plastics



Prod#	Size	Cans/Ctn	Unit	Wt/Ctn
65020	16.25 oz	12	CTN	18.2

### Drywall Corner Bead 61 Spray Adhesive

- Economical, contractor-grade aerosol adhesive quickly bonds plastic corner beads to drywall
- Red tint for hard-to-see areas
- Attaches corner bead to drywall
- Temporarily hangs polysheeting



Prod#	Size	Cans/Ctn	Unit	Wt/Ctn
65030	16.25 oz	6	CTN	9

#### SALES/ORDER INFORMATION

P: (714) 974-6837 • P: (866) 974-6837 • F: (714) 637-9033 • F: (866) 637-9033  
 341 West Meats Avenue • Orange, California 92865 • [www.westpacmaterials.com](http://www.westpacmaterials.com)



# Westpac Materials



## Westpac Self-Adhesive Fiberglass Mesh Tape

### Self-Adhesive Fiberglass Mesh Tape

- Individually Shrink Wrapped
- Quick and Easy Installation
- Fiberglass Mesh
- No Shrinking, Bubbling or Stretching
- No Preparing or Stapling



Prod#	Roll Size	Color	Rolls/Ctn	Unit	Wt/Ctn
50010	*2" X 300'	White	24	CTN	20
50020	*2" X 300'	Yellow	24	CTN	20

\* Nominal Width (48 mm x 91.4 mm)


50070	2-1/2" X 300'	White	24	CTN	22
50075	2-1/2" X 300'	Yellow	24	CTN	22
50080	2-1/2" X 300'	Blue	24	CTN	22

**Recommended Use...** Apply first coat over glass mesh tape with Hi-Density Smooth Set compound. Subsequent coats may be applied using vinyl based "ready mixed" compounds. Allow to dry between coats.

## Self-Adhesive Detail Mesh

### Self-Adhesive Detail Mesh Wall Repair Fabric

- Self-Adhesive Fiberglass Mesh for Easy Application to Walls & Ceilings
- Compatible with Plaster, Drywall and Stucco Material
- Requires Only Thin Finish Coat



Prod#	Roll Size	Color	Rolls/Ctn	Unit	Wt/Ctn
50830	3" x 300'	White	20	CTN	20
50840	4" x 150'	White	12	CTN	13
50860	4" x 300'	White	12	CTN	18
50870	6" x 75'	White	12	CTN	8
50880	6" x 150'	White	10	CTN	10
50890	9" x 150'	White	12	CTN	18
50900	12" x 150'	White	6	CTN	14
50910	18" x 150'	White	6	CTN	21
50920	36" x 75'	White	6	CTN	21
50930	36" x 150'	White	6	CTN	42

## Fiba Mold Tape

### Mold-X10™ FibaTape

- Includes an anti-microbial coating for increased mold protection, backed by a perfect "10" rating on ASTM D3273 mold test.
- Ideal for use with mold-resistant and paperless drywall.



Prod#	Roll Size	Color	Rolls/Ctn	Unit	Wt/Ctn
50250	1-7/8" x 300'	Green	12	CTN	11

#### SALES/ORDER INFORMATION

P: (714) 974-6837 • P: (866) 974-6837 • F: (714) 637-9033 • F: (866) 637-9033  
 341 West Meats Avenue • Orange, California 92865 • www.westpacmaterials.com