

**i** Intertape

## Masking Tape

#### PG 505

#### General Purpose Masking Tape

This general purpose masking tape is ideal for all light duty applications.



| Prod# | Width  | Rls/Ctn | Unit | Wt/Ctn |
|-------|--------|---------|------|--------|
| 68010 | 1″     | 36      | CTN  | 14     |
| 68020 | 1-1/2″ | 24      | CTN  | 15     |
| 68030 | 2″     | 24      | CTN  | 19     |

#### PT 14

#### SolaBlue UV-Resistant Masking Tape

The Ultra Violet Inhibitors technology behind new PG-90 UV-resistant tape was created for a simple reason: to give you a new tape that will stand up to the destructive forces of the sun.



| Prod# | Width  | Rls/Ctn | Unit | Wt/Ctn |
|-------|--------|---------|------|--------|
| 68150 | 1″     | 36      | CTN  | 15     |
| 68160 | 1-1/2″ | 24      | CTN  | 15     |
| 68170 | 2″     | 24      | CTN  | 20     |

# Masking Tape

#### #2020 General Purpose Masking Tape

- For general purpose masking
- High adhesion for good holding power
- Provides good paint lines
- 1 day clean removal

#### Bulk pack.



| Prod# | Width  | Rls/Ctn | Unit | Wt/Ctn |
|-------|--------|---------|------|--------|
| 67032 | 1″     | 36      | CTN  | 14     |
| 67034 | 1-1/2″ | 24      | CTN  | 14     |
| 67036 | 2″     | 24      | CTN  | 17     |

| #2090 SCOTCH Brand     |
|------------------------|
| Long Mask Masking Tape |

- Medium adhesion; UV and sunlight resistant
- Use also on most previously painted surfaces, including painted wallboard
- Excellent for masking exterior glass enameled or varnished woodwork
- IMPROVED! 14 day clean removal

#### Bulk pack.



| Prod# | Width  | Rls/Ctn | Unit | Wt/Ctn |
|-------|--------|---------|------|--------|
| 67050 | 1″     | 36      | CTN  | 14     |
| 67060 | 1-1/2″ | 24      | CTN  | 13.5   |
| 67070 | 2″     | 24      | CTN  | 17.6   |



**Shurtape**<sup>®</sup>

## Masking Tape

#### CP-66 General Purpose Masking Tape

Designed for commercial and residential painting. Good for applications where conformity to irregular-shaped surfaces and quick stick are required.



| Prod# | Width  | Rls/Ctn | Unit | Wt/Ctn |
|-------|--------|---------|------|--------|
| 69230 | 1″     | 36      | CTN  | 12     |
| 69235 | 1-1/2″ | 24      | CTN  | 12     |
| 69240 | 2″     | 24      | CTN  | 16     |

#### CP-27 Blue UV-Resistant Masking Tape

14 Day ShurRelease removes cleanly from painted walls, trim, woodwork, glass and metal without damage even when exposed to direct sunlight.



| Prod# | Width  | Rls/Ctn | Unit | Wt/Ctn |
|-------|--------|---------|------|--------|
| 69215 | 1″     | 36      | CTN  | 13     |
| 69220 | 1-1/2″ | 24      | CTN  | 13     |
| 69225 | 2″     | 24      | CTN  | 17     |

## **Poly Duct Tape**

#### Polyken 827 Premium Grade Poly Duct Tape

High-density, polyethylene tape with high shear, conformability, abrasion and chemical resistance, and moisture barrier properties. Sticks to most surfaces, including polyethylene films, and leaves no residue when removed. (2" width, 8 mil.)

# Poly Duct Tape

#### Poly Duct Tape PE-333

A UV resistant polyethylene film tape used to mask surfaces during stucco applications and painting. A special synthetic high-tack adhesive provides a watertight seal in severe environments and weather conditions. Residue free. (2" width, 7 mil.)



| Prod# | ltem | Width | Rolls/Ctn | Ctns/Plt | Unit | Wt/Ctn |
|-------|------|-------|-----------|----------|------|--------|
| 69030 | 827  | 2″    | 24        | 27       | CTN  | 28     |

# Binning Ratio

| Prod# | ltem   | Width | Rolls/Ctn | Unit | Wt/Ctn |
|-------|--------|-------|-----------|------|--------|
| 69275 | PE-333 | 2″    | 24        | CTN  | 32     |

# **POLYKEN**<sup>®</sup>

**Shurtape**<sup>®</sup>



## **Cloth Duct Tape**

#### Cloth Duct Tape PC-622

Premium grade cloth duct tape used for protection of window and door frames during stucco applications, and heavy duty bundling, holding, and splicing. (2" width, 12.5 mil.)



| Prod# | ltem   | Width | Rolls/Ctn | Unit | Wt/Ctn |
|-------|--------|-------|-----------|------|--------|
| 69250 | PC-622 | 2″    | 24        | CTN  | 52     |

#### Cloth Duct Tape PC-667

UV inhibitors eliminate residue, reducing clean-up time and expense. Aggressive adhesive holds strong to dusty surfaces and resists lifting during cleaning cycles. (2" width, 9 mil.)

#### Cloth Duct Tape PC-668

UV inhibitors eliminate residue, reducing clean-up time and expense. Aggressive adhesive holds strong to dusty surfaces and resists lifting during cleaning cycles. (2" width, 11 mil.)



| Prod# | ltem   | Width | Rolls/Ctn | Unit | Wt/Ctn |
|-------|--------|-------|-----------|------|--------|
| 69252 | PC-667 | 2″    | 24        | CTN  | 37     |
| 69255 | PC-668 | 2″    | 24        | CTN  | 46     |

## **Cloth Duct Tape**

#### Polyken 213 Economy Grade Cloth Duct Tape

Holds in extremely low and high temperature applications. Offers the industry's highest adhesion on a 10 mil duct tape. Sticks to irregular surfaces and provides excellent moisture barrier. 2" width.



| Prod# | Item | Width | Rolls/Ctn | Ctns/Plt | Unit | Wt/Ctn |
|-------|------|-------|-----------|----------|------|--------|
| 69016 | 213  | 2″    | 24        | 27       | CTN  | 44     |

#### Polyken 223 Utility Grade Cloth Duct Tape

Featuring patented Kappa Calendar Construction, this utility grade cloth duct tape with high adhesion qualities is excellent for general use. 10 mil thickness. 2" width.



| Prod# | ltem | Width | Rolls/Ctn | Ctns/Plt | Unit | Wt/Ctn |
|-------|------|-------|-----------|----------|------|--------|
| 69020 | 223  | 2″    | 24        | 27       | CTN  | 44     |

# **Shurtape**<sup>®</sup>

**POLYKEN**<sup>®</sup>

| www.w | vestpacm | aterial | ls.com |
|-------|----------|---------|--------|
|       |          |         |        |



### **Plastic Construction Films**



#### **Plastic Sheeting**

Whatever your plastic sheeting need, Poly-America has you covered. Made of high-quality polyethylene, Poly-America Plastic Sheeting delivers unsurpassed durability, performance and versatility every roll, every time.


#### \* Polyethylene

Available in a variety of lengths, widths and thicknesses
 Suitable for masking, vapor barriers, flashing and more

| Prod# | ltem # | Mil | RI Size     | Aprox Wt/Rl | Unit | Rls/Pallet |
|-------|--------|-----|-------------|-------------|------|------------|
| 60090 | 7509C  | 3/4 | 9′ x 400′   | 12          | RL   | 99         |
| 60080 | 7512C  | 3/4 | 12′ x 400′  | 16          | RL   | 80         |
| 60010 | 109C   | 1   | 9′ x 400′   | 17          | RL   | 80         |
| 60020 | 112C   | 1   | 12′ x 400′  | 23          | RL   | 64         |
| 60030 | 2100C  | 2   | 8′4″ x 200′ | 16          | RL   | 96         |
| 60035 | 1512C  | 1.5 | 12' x 200'  | 17          | RL   | 80         |
| 61015 | 1520C  | 1.5 | 20' x 200'  | 29          | RL   | 56         |
| 60040 | 212C   | 2   | 12″ x 200′  | 23          | RL   | 64         |
| 61020 | 220C   | 2   | 20' x 200'  | 38          | RL   | 35         |
| 60050 | 412C   | 4   | 12″ x 100′  | 23          | RL   | 64         |
| 60060 | 420C   | 4   | 20' x 100'  | 38          | RL   | 35         |
| 60098 | 620C   | 6   | 20' x 100'  | 57          | RL   | 20         |
| 60095 | 612C   | 6   | 12' x 100'  | 35          | RL   | 49         |

#### Painter's Plastic (High Density)

Costs less than conventional low-density sheeting. It is thinner, has better tape adhesion, and comes in a convenient dispenser.





| Prod# | Item #  | Mil  | RI Size     | Aprox Wt/RI | Unit | Rls/Pallet |
|-------|---------|------|-------------|-------------|------|------------|
| 60092 | 03509H  | 0.31 | 9′ x 400′   | 6           | RL   | 140        |
| 60093 | 03512H  | 0.31 | 12' x 400'  | 8           | RL   | 112        |
| 60094 | 070100H | 0.7  | 8'4" x 200' | 6           | RL   | 208        |

#### Husky Poly Trash Bags

- For heavy duty clean-up after the tough jobs are done.
- Extra large capacity: 2'9" X 4' (42 GAL)
- Heavy duty 3 mil



| Prod# | ltem # | Mil | Wt/Ctn | Unit | Bgs/Ctn | Cs/Pallet |
|-------|--------|-----|--------|------|---------|-----------|
| 61060 | PA3242 | 3   | 11     | CTN  | 32      | 144       |

#### Hand Wrap Stretch Film

Essential for all warehouses, Hand Wrap Stretch Film gives you total quality control over your shipping. 80 gauge.



| Prod# | ltem #   | RI Size     | Aprox Wt/Ctn | Unit | Rls/Ctn |
|-------|----------|-------------|--------------|------|---------|
| 61010 | HW181580 | 18″ x 1500′ | 35           | CTN  | 4       |





## Masking & Red Rosin Paper



#### Handmasker Masking Paper

A general purpose Kraft paper, suitable for all kinds of masking needs. Packaged in 180 ft. rolls for easy handling.

#### Machine Masking Paper

General purpose 30 lb. Kraft paper packaged in 1000 ft. rolls for larger masking requirements.




|   | Prod# | Size | Lgth    | Rolls/Ctn | Unit | Wt/Ctn | Ctns/Pallet |
|---|-------|------|---------|-----------|------|--------|-------------|
|   | 56010 | 6″   | 180 ft  | 12        | CTN  | 11     | 120         |
|   | 56020 | 9″   | 180 ft  | 12        | CTN  | 16     | 85          |
|   | 56030 | 12″  | 180 ft  | 12        | CTN  | 21     | 68          |
| 1 | 56040 | 15″  | 180 ft  | 12        | CTN  | 27     | 40          |
|   | 56050 | 18″  | 180 ft  | 12        | CTN  | 34     | 40          |
| 1 |       |      |         |           |      |        |             |
|   | Prod# | Size | Lgth    | Rolls/Ctn | Unit | Wt/Ctn | Ctns/Pallet |
|   | 58050 | 36″  | 1000 ft | 1         | CTN  | 30     | 30          |

#### **Red Rosin Paper**

Heavy weight paper resists water penetration. Prod#58096

Regular weight paper resists water penetration. Prod#58097



| Prod# | Size | Lgth   | Rolls/Ctn | Unit | Wt/RI | Rls/Pallet |
|-------|------|--------|-----------|------|-------|------------|
| 58096 | 35″  | 166 ft | 1         | RL   | 16    | 63         |
| 58097 | 35″  | 166 ft | 1         | RL   | 13    | 80         |

# Hand Masker Film, Dispenser and Blades

#### Pre-folded Masking Film Rolls

- Cut labor spend covering window by 50%!
- Folded film unfolds to sizes between 4' and 12'
- Specially formulated to resist paint flaking during multiple coat application
- One person application using a 3M Handmasker<sup>™</sup>

#### M3000 Handmasker™ Dispenser

- Designed for professional contractors
- Simultaneously applies pre-folded
  masking film or paper with masking
- tape to cover and protectDesigned for heavy duty masking

Handmasker™ Cutoff Blades and Film Cutoff Blades

- Durable stainless steel blade
- Film blade has a plastic blade guard



| Prod# | Size       | Rls/Ctn | Unit | Wt/Ctn |
|-------|------------|---------|------|--------|
| 64100 | 48″ x 180′ | 12      | CTN  | 19     |
| 64110 | 72″ x 90′  | 12      | CTN  | 16     |
| 64120 | 99″ x 90′  | 12      | CTN  | 17     |

| Prod# | Model# | Pcs/Ctn | Unit | Wt/Ctn |
|-------|--------|---------|------|--------|
| 62500 | M3000  | 4       | CTN  | 6      |

| Handmasker Cutoff Blades |        |         |      |        |  |
|--------------------------|--------|---------|------|--------|--|
| Prod#                    | Model# | Pcs/Ctn | Unit | Wt/Ctn |  |
| 64010                    | PB 9″  | 6       | CTN  | 1      |  |
| 64020                    | PB 12″ | 6       | CTN  | 1.5    |  |

| Handmasker Film Cutoff Blades |        |         |      |        |  |  |
|-------------------------------|--------|---------|------|--------|--|--|
| Prod#                         | Model# | Pcs/Ctn | Unit | Wt/Ctn |  |  |
| 64040                         | FB 12″ | 6       | CTN  | 1.5    |  |  |

